

Product Information	
Catalog No.	BS10474
Product name	Anti-Staphylococcus Epidermidis Lipoteichoic Acid Reference Antibody (Pagibaximab, RUO)
Applications	ELISA, Bioactivity: FACS, Functional assay, Research in vivo
Species reactivity	General
Host species	Chimeric
Clonality	Monoclonal
Isotype	IgG1-kappa
Form	Liquid
Storage buffer	0.01M PBS, pH 7.4.
Concentration	1mg/ml
Purity	>95% purity as determined by SDS-PAGE.
Purification	Protein A/G purified from cell culture supernatant.
Target	Staphylococcus Epidermidis Lipoteichoic Acid
Expression system	Mammalian Cells
Accession	CAS: 595566-61-3
Endotoxin level	Please contact the lab for this information.
Stability and Storage	Use a manual defrost freezer and avoid repeated freeze-thaw cycles. Store at 4°C for short-term storage (1-2 weeks). Store at -20°C for up to 12 months. For long-term storage, store at -80°C.
Alternative Names	BSYX-A110, PMAB
Note	For research use only. Not suitable for clinical or therapeutic use.


Background

Adenosine 3', 5'-cyclic monophosphate (cAMP) is a key second messenger molecule in intracellular signal transduction. Monitoring cAMP levels is one of the most common ways to screen for agonists and antagonists of G protein-coupled receptors (GPCRs). Bioearegene cAMP ELISA Kit is based on the competition between HRP-labeled cAMP and free cAMP for fixed amounts of mouse monoclonal anti-cAMP antibody (cAMP MAb) binding sites. Because the concentration of the HRP-labeled cAMP is held constant while the concentration of cAMP varies, the amount of HRP-labeled cAMP that is able to bind to the cAMP MAb will be inversely proportional to the concentration of cAMP in the well. This antigen-antibody complex binds to the goat anti-mouse IgG that has been previously attached to the well. The plate is washed to remove any unbound reagents and then developed. The ELISA typically displays an IC₅₀ (50% B/B₀) of approximately 12 pmol/mL and a detection limit of approximately 0.15 pmol/mL.

- Sphingosine 1-phosphate: Lipid signaling in pathology and therapy., PMID:31624181
- Sphingosine-1-phosphate (S1P) in ovarian physiology and disease., PMID:31455516
- Sphingosine-1-phosphate (S1P) receptors: Promising drug targets for treating bone-related diseases., PMID:32155312
- Pancreatic Acinar Cells-Derived Sphingosine-1-Phosphate Contributes to Fibrosis of Chronic Pancreatitis via Inducing Autophagy and Activation of Pancreatic Stellate Cells., PMID:37634735
- Significance of sphingosine-1-phosphate in cardiovascular physiology and pathology., PMID:32278039

- Sphingosine 1-Phosphate (S1P)/ S1P Receptor Signaling and Mechanotransduction: Implications for Intrinsic Tissue Repair/Regeneration., PMID:31703256
- Sphingosine 1-phosphate (S1P) receptor modulators as an induction and maintenance therapy for ulcerative colitis: a systematic review and meta-analysis of randomized controlled trials., PMID:38153524
- S1P (Sphingosine-1-Phosphate)-Induced Vasodilation in Human Resistance Arterioles During Health and Disease., PMID:36070401
- Sphingosine 1-phosphate (S1P) signalling: Role in bone biology and potential therapeutic target for bone repair., PMID:28855094
- Sphingosine 1-phosphate signalling., PMID:24346695

Image Data



SEC-HPLC detection for Research Grade Pagibaximab.

Bioactivity